


### **Amendment to the Claims**

The following listing of claims replaces all previous versions and listings of claims:

1. (Currently Amended) A catalyst composition comprising a bidentate ligand represented by formula 1, a monodentate ligand represented by formula 2, and a transition metal catalyst represented by formula 3:



wherein

each of R<sub>1</sub> and R<sub>2</sub> is a substituted or unsubstituted C1-20 alkyl group; a substituted or unsubstituted C1-20 alkoxy group; a substituted or unsubstituted C5-20 cycloalkane or cycloalkene; a substituted or unsubstituted C6-36 aryl group; a substituted or unsubstituted C1-20 heteroalkyl group; a substituted or unsubstituted C4-36 heteroaryl group; or a substituted or unsubstituted C4-36 heterocyclic group,

Ar<sub>1</sub>-Ar<sub>2</sub> is a bisaryl compound, and

X is oxygen (O) or sulfur (S),



wherein

each of R<sub>3</sub>, R<sub>4</sub> and R<sub>5</sub> is a substituted or unsubstituted C1-20 alkyl group; a substituted or unsubstituted C1-20 alkoxy group; a substituted or unsubstituted C5-20 cycloalkane or

Application No. 10/575,147

Response dated: June 30, 2008

Reply to Non-Final Office Action dated: March 28, 2008

cycloalkene; a substituted or unsubstituted C6-36 aryl group; a substituted or unsubstituted C1-20 heteroalkyl group; a substituted or unsubstituted C4-36 heteroaryl group; or a substituted or unsubstituted C4-36 heterocyclic group, each of R<sub>3</sub>, R<sub>4</sub> and R<sub>5</sub> being optionally substituted with nitro (-NO<sub>2</sub>), fluorine (F), chlorine (Cl), bromine (Br), or a C1-4 alkyl group,

$M(L_1)_l(L_2)_m(L_3)_n$  ... (3)

wherein

M is a transition metal,

each of L<sub>1</sub>, L<sub>2</sub> and L<sub>3</sub> is hydrogen, CO, acetylacetone, cyclooctadiene, norbornene, chlorine, or triphenylphosphine, and


each of l, m and n is a number of 0 to 5, provided that all l, m and n are not zero simultaneously[[.]]; and

wherein the concentration of the transition metal is 50 to 500 ppm based on the amount of the catalyst composition, and the concentration of the bidentate ligand is 0.5 to 20 mol and the concentration of the monodentate ligand is 0.1 to 50 mol, respectively per mol of the transition metal.

2. (Original) The catalyst composition of claim 1, wherein in formula 1, each of R<sub>1</sub> and R<sub>2</sub> is pyrrole, phenyl, or indole, and the phosphorous is directly linked to a nitrogen atom.


Application No. 10/575,147  
Response dated: June 30, 2008  
Reply to Non-Final Office Action dated: March 28, 2008

3. (Original) The catalyst composition of claim 1, wherein in formula 1, the bisaryl compound Ar<sub>1</sub>-Ar<sub>2</sub> is represented by either formula 5 or formula 6:



wherein

each of R<sub>8</sub>, R<sub>9</sub>, R<sub>10</sub>, and R<sub>11</sub> is hydrogen, a C1-20 alkyl group, a C6-20 aryl group, a triarylsilyl group, a trialkylsilyl group, a carboalkoxy group, a carboaryloxy group, an aryloxy group, an alkoxy group, an alkylcarbonyl group, an arylcarbonyl group, an amide group, a halogen atom, or a nitrile group, the carboalkoxy group being represented by -CO<sub>2</sub>R (wherein R is a C1-20 alkyl group or a C6-20 aryl group),



wherein

each of R<sub>12</sub>, R<sub>13</sub>, R<sub>14</sub>, R<sub>15</sub>, R<sub>16</sub>, and R<sub>17</sub> is hydrogen, a C1-20 alkyl group, a C6-20 aryl group,

Application No. 10/575,147

Response dated: June 30, 2008

Reply to Non-Final Office Action dated: March 28, 2008

a triarylsilyl group, a trialkylsilyl group, a carboalkoxy group, a carboaryloxy group, an aryloxy group, an alkoxy group, an alkylcarbonyl group, an arylcarbonyl group, an amide group, a halogen atom, or a nitrile group, the carboalkoxy group being represented by -CO<sub>2</sub>R (wherein R is a C1-20 alkyl group or a C6-20 aryl group).

4. (Original) The catalyst composition of claim 3, wherein in formula 5, R<sub>8</sub> is methyl, methoxy, or t-butyl group, R<sub>9</sub> is hydrogen, R<sub>10</sub> is methyl, methoxy, or t-butyl, and R<sub>11</sub> is methyl or hydrogen.

5. (Original) The catalyst composition of claim 1, wherein in formula 2, each of R<sub>3</sub>, R<sub>4</sub>, and R<sub>5</sub> is phenyl, phenoxy, cyclohexyl, or t-butyl.

6. (Original) The catalyst composition of claim 1, wherein in formula 3, the transition metal M is cobalt (Co), rhodium (Rh), or iridium (Ir).

7. (Original) The catalyst composition of claim 1, wherein the transition metal catalyst is acetylacetone dicarbonylrhodium (Rh(AcAc)(CO)<sub>2</sub>), acetylacetone carbonyl triphenylphosphine rhodium (Rh(AcAc)(CO)(TPP)), hydridocarbonyl tri(triphenylphosphine)rhodium (HRh(CO)(TPP)<sub>3</sub>), acetylacetone dicarbonyl iridium (Ir(AcAc)(CO)<sub>2</sub>), or hydridocarbonyl tri(triphenylphosphine)iridium (HIr(CO)(TPP)<sub>3</sub>).

8. (Cancelled)

9. (Original) The catalyst composition of claim 1, wherein if the concentration of the bidentate ligand is 0.5 to 2 mol and the concentration of the monodentate ligand is 0.1 to 10 mol, respectively per mol of the transition metal, then the N/I selectivity is in a range of 2 to 3, and if the concentration of the bidentate ligand is 3 to 10 mol and the concentration of the monodentate ligand is 0.1 to 10 mol, respectively per mol of the transition metal, then the N/I selectivity is in a range of 15 to 18.

10. (Original) The catalyst composition of claim 9, wherein the transition metal catalyst is acetylacetone dicarbonylrhodium ( $\text{Rh}(\text{AcAc})(\text{CO})_2$ ), the bidentate ligand is 1,1'-biphenyl-2,2'-diyl-bis(dipyrrolylphosphoramidite) ( $\text{BPO-P}(\text{Pyl})_2$ ), and the monodentate ligand is triphenylphosphine (TPP) or triphenylphosphite (TPPI).

11. (Withdrawn) A process of hydroformylating an olefin compound, comprising reacting the olefin compound with a gas mixture of hydrogen and carbon monoxide while being stirred at elevated pressures and temperatures in the presence of the catalyst composition of claim 1 to produce an aldehyde.

12. (Withdrawn) The process of claim 11, wherein the olefin compound is represented by formula 4:



...(4)

wherein

each of R<sub>6</sub> and R<sub>7</sub> is hydrogen, a C1-20 alkyl group, fluorine (-F), chlorine (-Cl), bromine (-Br), trifluoromethyl (-CF<sub>3</sub>), or a C6-20 phenyl group substituted with 0 to 5 substituents selected from the group consisting of nitro (-NO<sub>2</sub>), fluorine (-F), chlorine (-Cl), bromine (-Br), methyl, ethyl, propyl and butyl.

Application No. 10/575,147

Response dated: June 30, 2008

Reply to Non-Final Office Action dated: March 28, 2008

13. (Withdrawn) The process of claim 11, wherein the olefin compound is a compound selected from the group consisting of ethene, propene, 1-butene, 1-pentene, 1-hexene, 1-octene, and styrene.